



5-DIGIT REVOLUTION COUNTERS WITH RESET

CG 05



- **5-digit h = 6 mm display**
white digits on black background
- **quick resetting lever**
- **materials**
die-cast zamak body
ABS casing
metal internal kinematic motion devices
- **max speed**
5,000 round / min.


 gr. 357


 mm 125 x 65 x 35



TYPICAL APPLICATIONS

Tool machines - winding machine - automatic machines.

REVOLUTION COUNTERS



COD.	MOD.	RATIO	SHAFT OUTPUT	ROTAT. 
FC0010/001	CG 05 D	1 / 1	passing	right
FC0010/002	CG 05 S	1 / 1	passing	left





CODE INDICATION


	model	shaft rotation
example of order	CG 05	S
<i>description</i>		<i>left</i>


B-1

KGE 06

6-DIGIT SPEED INDICATOR WITH RESET

- **6-digit h = 8 mm display**
white digits on black background
- **quick resetting lever**
- **materials**
die-cast zamak body
ABS casing
command shaft in AISI 303
self-lubricant synthetic material kinematic motion devices
- **max speed**
3,500 round / min.


 gr. 790


 mm 170 x 70 x 55




TYPICAL APPLICATIONS

Tool machines - winding machine - automatic machines.




COD.	MOD.	GEAR RATIO	SHAFT OUTPUT	ROTAT. 
FC0875/001	KGE 06 D	1 / 1	passing	right
FC0875/002	KGE 06 S	1 / 1	passing	left



CODE INDICATION

	model	shaft rotation
example of order	KGE 06	S
description		left

REVOLUTION COUNTERS





POCKET 4-DIGIT SPEED INDICATOR WITH RESET

PM / 2



- **4-digit h = 6 mm display**
white digits on black background
- **resetting wheel**
- **materials**
die-cast zamak body
metal casing
PVC push rod
metal internal kinematic motion devices
- **max speed**
7,000 round / min.

 gr. 160


 mm 80 x 35 x 55

TYPICAL APPLICATIONS

Rotating organs speed control.

Single command axle with numerical progression independent from the command shaft rotation direction.

COD.	MOD.	DESCRIPTION
FC0035/001	PM / 2	Pocket speed indicator
<i>Note: the device is supplied with a spare push rod.</i>		




WATER-PROOF 7-DIGIT MECHANICAL TIMER

DIGIT TIMER

REVOLUTION COUNTERS



- **7-digit display h = 4.5 mm**
7 white digits on black background
- **full capacity**
9,999.999 fractional time units
- **materials**
self-lubricating synthetic material body
and internal kinematic motion devices
die-cast zamak casing
command shaft in AISI 303
- **max. operation speed**
3,000 round / min.

 gr. 350

 mm 200 x 170 x 150

TYPICAL APPLICATIONS

Very sturdy water-proof device. It is widely used as a life totalizer on the most varied operating machines.

